











Penny-Wise

13 to 14 SEER E-Series Air Conditioners and Coils











Split System Air Conditioners



Engineered for Quality

More than just better indoor comfort, we want you to feel comfortable investing in a product that will perform when you need it most. Each Westinghouse air conditioner is checked approximately 144 times during the manufacturing process then run-tested to check operation performance. In the final analysis, computer-automated testing is performed to capture operation data for future reference should your contractor ever need it.


Westinghouse air conditioners are built with proven components to provide safe, clean and reliable comfort year-round. For example, our up to 14 SEER products offer a reliable scroll compressor warranted for 10 years.






Up to 14 SEER

Split System Air Conditioners



A full metal jacket protects the coil from damage by weather and flying debris. It is finished with a Silicone-protective polyurethane coating that passed a 950 hour salt spray test for harsher climates. It protects your unit from corrosion 50% more than standard outdoor finishes.

SEER - Seasonal Energy Efficiency Ratio measures cooling performance on air conditioner products.



All Westinghouse air conditioner models feature allaluminum Micro-Channel coils for increased resistance to corrosion.



13 SEER air conditioners get an efficiency boost of up to 1-SEER when paired with one of our Westinghouse iSEER® gas furnaces.



A "split" system is the most common heating and cooling central system used. Your split system air conditioner is the outdoor component of a total system. The indoor component is a matched coil, which typically sits on top of the furnace. When you replace your outdoor system it is extremely important to replace the indoor portion as well, in order to meet energy efficiency performance and not void important warranties. Not changing your indoor component is like buying a new car, then placing old, worn tires on it.



Indoor coils are designed to match your
Westinghouse outdoor unit (split system) to maximize
efficiency performance. An uncased indoor coil, is
used for upflow and downflow applications. The coil is
encased by the ductwork during installation. A cased
indoor coil is installed on top of a furnace.



* Annual costs based on 36,000 Btu unit, 1500 cooling load hours, and .08/kwh. Actual costs may vary depending on climate conditions, energy rates and patterns of usage.






Leading Warranty

When an air conditioner is truly built to exacting standards of quality and durability, the manufacturer's confidence shows in its warranty.

Westinghouse E-Series products offer a







To learn more about our product warranties, ask your Westinghouse contractor, or visit us on the web at www.westinghousehvac.com for details.



iSEER® is a registered trademark of Nortek Global HVAC LLC.















