

TECHNICAL SPECIFICATIONS

High Efficiency Media Air Cleaners


Ideal for new housing projects, the Nortek Global HVAC High Efficiency Media Air Cleaners open the door to future HVAC sales and service. Available in 16" x 20", 16" x 25", 20" x 20" and 20" x 25" models. This MERV 11 filter is a perfect fit, 5 1/4" deep filter with no air gaps or by-pass, plus it has low initial resistance and long service life. Filters are only available through the Nortek Global HVAC dealer for guaranteed repeat sales. Galvanized steel construction with painted snap-on door. Identical dimensions make it easy to replace with a Nortek Global HVAC High Efficiency Electronic Air Cleaner for later upgrade installation. Limited 1 year Standard Warranty. The Media Air Cleaner carries a system warranty if sold with a matched Nortek Global HVAC system.



FEATURES and BENEFITS

- **MERV 11 Rated Filter:** Removes airborne particles down to 0.3 micron
- **Perfect Fit 5 1/4" Deep Filter:** Ensures no air gaps or by-pass air.
- **Media Filter:** Lasts up to one year in standard applications, for low maintenance.
- **Easy to Change Filter:** No fussing with complicated combs or brackets.
- **Reversible Airflow:** Mounts in any position.
- **Low Initial Static Pressure Drop.**
- **Silent Operation.**
- **Galvanized Steel Construction:** With painted snap-on door.
- **Easily Replaced:** With a Nortek Global HVAC High Efficiency Electronic Air Cleaner for later upgrade installation.
- **Standard 1 Year Limited Warranty.**
- **System Warranty:** if sold with a matched Nortek Global HVAC system.

DIMENSIONS



SPECIFICATIONS

Model	N-NC1620	N-NC1625	N-NC2020	N-NC2025
Power Consumption	0	0	0	0
House Size	<2400 ft ² <222.96 m ²	<3000 ft ² <278.7 m ²	<3000 ft ² <278.7 m ²	>3000 ft ² >278.7 m ²
Air Flow	up to 1200 CFM up to 2038 m ³ /hr	up to 1400 CFM up to 2379 m ³ /hr	up to 1400 CFM up to 2379 m ³ /hr	up to 2000 CFM up to 3398 m ³ /hr
Duct Size	16 x 20 in 40.5 x 51 cm	16 x 25 in 40.6 x 63.5 cm	20 x 20 in 51 x 51 cm	20 x 25 in 51 x 63.5 cm
Intake Dimensions <i>H x L</i>	13.25 x 20.75 in 33.7 x 52.7 cm	13.25 x 23.7 in 33.7 x 60.2 cm	18.1 x 18.75 in 46 x 47.6 cm	18.1 x 23.25 in 46 x 59.1 cm
Cabinet Dimensions <i>W x H x L</i>	7.5 x 17.4 x 23.6 in 19.1 x 44.2 x 60 cm	7.5 x 17.4 x 26.5 in 19.1 x 44.2 x 67.3 cm	7.5 x 22.25 x 21.7 in 19.1 x 56.5 x 55.1 cm	7.5 x 22.25 x 26.1 in 19.1 x 56.5 x 66.3 cm
Weight	17 lb 7.7 kg	18 lb 8.2 kg	19 lb 8.6 kg	20 lb 9.1 kg
Pressure Drop	.066 in/wg @ 600 CFM .217 in/wg @ 1200 CFM	.066 in/wg @ 700 CFM .217 in/wg @ 1400 CFM	.066 in/wg @ 700 CFM .217 in/wg @ 1400 CFM	.069 in/wg @ 1000 CFM .207 in/wg @ 2000 CFM
MERV Rating	11	11	11	11
Replacement Media Filter	918394	918395	918396	918397



GENERAL TERMS OF LIMITED WARRANTY

Nortek Global HVAC, LLC will furnish a replacement for any part of this product which fails in normal use and service within the terms and conditions of the warranty.

For complete details of the Limited Warranty, including applicable terms and conditions, see your local installer or contact the Nortek Global HVAC, LLC warranty department for a copy.

Before purchasing this appliance, read important energy cost and efficiency information available from your retailer. Specifications and illustrations subject to change without notice and without incurring obligations. Printed in U.S.A (05/2019)