




SPLIT SYSTEM AIR CONDITIONERS, HEAT PUMPS AND PACKAGED SYSTEM PRODUCTS

Built Exclusively for Manufactured Housing



Exclusively Made For Your Manufactured Home.

Today, the manufactured home is a sophisticated, affordable home that is a smart choice for many buyers. Equally smart is knowing that your manufactured home cooling system is just that — a manufactured home cooling system. Specifically designed for your manufactured home, an Intertherm air conditioner, heat pump & packaged system offers high efficiency and system dependability.

The more you learn about our manufacturing process, the more you'll see that no other heating and cooling manufacturer compares to Intertherm's product quality — quality made possible through Demand Flow Technology. While other companies test products at random, we use 100% computer-automated testing on every Intertherm product to eliminate human error in the final analysis of product quality. We are the only heating and cooling manufacturer to be DFT certified.



You can rely on your Intertherm expert to make your home more comfortable with Partners Choice® digital thermostats and other manufactured home accessories. It's a comfort to know that they are made for your manufactured home, and it's a comfort you can feel.

What are SEER2 and HSPF2?

Your air conditioner's and heat pump's efficiency are measured by Seasonal Energy Efficiency Ratio 2 (SEER2). SEER2 is the new Department of Energy efficiency standard. SEER is the standard measure of efficiency for central air conditioning systems. The higher the SEER, less electricity is required for a air conditioner unit to do its job. Heat pumps are also rated by Heating Seasonal Performance Factor 2 (HSPF2). The main difference between SEER/HSPF and SEER2/HSPF2 is the testing conditions for each rating system. The SEER2/HSPF2 testing conditions are meant to give consumers a clearer, more accurate idea of a unit's efficiency. These SEER2/HSPF2 products are tested for optimal performance in conjunction with manufactured home duct systems.

What is AFUE?

A gas/electric packaged system's efficiency is rated in SEER or SEER2 and AFUE - Annual Fuel Utilization Efficiency. AFUE measures the unit's heating efficiency. The higher the AFUE rating, the more energy efficient your system is and the lower your energy costs will be.



13.4 SEER2 Split System Air Conditioners (Northern Climates only)


Intertherm high-efficiency split system air conditioners fit the bill for your cooling needs.

- Powder coated wire guard and plastic mesh hail guard protect the unit coil from being damaged by balls, lawnmowers, hail, etc.
- One-piece top designed for maximum airflow and quiet operation.
- Composite base pan absorbs sound and is corrosion resistant.
- State-of-the-art compressors improve efficiency for economical comfort.
- Available with quick connect or brazed connections.
- Quick connect systems require no additional charge.
- All-aluminum outdoor coils.

PERMANENTLY LUBRICATED MOTOR DELIVERS LONG-LASTING RELIABILITY AND QUIET OPERATION.



**Models GSA3MD & GSA3QD
(13.4 SEER2)**



- Ultra quiet, reliable compressor
- Powder coated wire guard and plastic mesh hail guard for enhanced coil protection
- Composite base reduces sound levels

**Model GSA2MD
13.4 SEER2 Air Conditioner**

An indoor coil completes your cooling system.

Intertherm coils are engineered to match our air conditioners and heat pumps, ensuring you get the full performance you're paying for. Our newest coils feature all-aluminum technology. Coils are lighter in weight and require less refrigerant. They offer increased reliability due to their innovative design.



14.3 SEER2/7.5 HSPF Air Conditioners & Heat Pumps

Intertherm extra high-efficiency split system air conditioners and heat pumps fit the bill for your heating and cooling needs.


- Powder coated wire guard and plastic mesh hail guard protect the unit coil from being damaged by balls, lawnmowers, hail, etc.
- Permanently lubricated motor delivers long-lasting reliability and quiet operation.
- One-piece top designed for maximum airflow and quiet operation.
- Composite base pan absorbs sound and is corrosion resistant.
- High pressure switch for added compressor protection. State-of-the-art compressors improve efficiency for economical comfort.
- Available with quick connect or brazed connections.
- Quick connect systems require no additional charge.
- All air conditioner and heat pump models feature all-aluminum outdoor coils.

Heat pump models also feature:

- Adaptive demand defrost which offers flexibility to meet any type of climate.
- Muffler reduces noises inside and out for efficient, quiet operation.



**Models GSA3ME, GSA3QE
(14.3 SEER2) & GSH3ME, GSH3QE
(14.3 SEER2/7.5 HSPF2)**



**Model GSH3ME
14.3 SEER, 7.5 HSPF Heat Pump**

13.4 SEER2 Packaged Air Conditioners & Heat Pumps

An Intertherm packaged system will keep your home comfortable year-round.

- Compact footprint and low profile make unit easy to install and transport. These low profile packaged units are self-contained and installed on the outside of your manufactured home freeing up additional living space inside your home.
- Powder coated wire coil guard and plastic mesh hail guard protect coil from damage from extreme weather and flying debris.
- The combination of a permanently lubricated motor and an optimized fan blade work in conjunction to deliver long-lasting reliability and quiet operation.
- Enhanced all-aluminum evaporator and condenser coils reduce unit weight and require less refrigerant than traditional coils.


INTERTHERM COILS ARE DESIGNED TO OPTIMIZE HEAT TRANSFER AND INCREASE DURABILITY AND RELIABILITY.



**Models P94RD (13.4 SEER2)
& Q94RD (13.4 SEER2, 6.7 HSPF2)**

State-of-the-art compressor for higher efficiencies and lower sound levels

Powder coated wire guard and plastic mesh hail guard for coil protection



**Model P94RD
13.4 SEER2**

13.4 SEER2 Packaged Heat Pumps

Large packaged systems can be mounted on a slab or rooftop.

- Compact footprint and low profile make for easy installation and transportation. Self-contained units sit on the outside of your manufactured home to maximize indoor living space.
- Intertherm coils are designed to optimize heat transfer and increase durability and reliability.
- Powder coated wire coil guard and plastic mesh hail guard protect coil from damage from extreme weather and flying debris.
- Permanently lubricated motor delivers long-lasting reliability and quiet operation.
- High pressure switch for added compressor protection.
- High static blowers deliver correct airflow even in challenging applications.
- Enhanced all-aluminum evaporator and condenser coils. These coils reduce unit weight and require less refrigerant than traditional coils.
- Suction accumulator protects from liquid flood back and future compressor failures.
- Demand defrost is standard and provides additional energy savings in heating by defrosting only when necessary.
- The five minute restart time delay keeps the unit from restarting when the unit shuts down, eliminating the highest cause for compressor failure.
- Convertible air delivery, horizontal or downflow, to accommodate rooftop or slab application.
- Accessories for most every application including high wind kits.



Model Q104SD (13.4 SEER2, 6.7 HSPF2)



Powder coated wire guard and plastic mesh hail guard for coil protection

State-of-the-art compressor for higher efficiency

**Model Q104SD
13.4 SEER2, 6.7 HSPF2**



State-of-the-art compressors provide long-lasting reliability.

13.4 SEER2 Gas/Electric Packaged Systems

A gas/electric packaged system combines the convenient electric cooling of an air conditioner with the energy-efficient gas heat of a furnace.


- The galvanized steel cabinet with a protective coating resists corrosion 50% better than comparable units.
- Powder coated wire coil guard and plastic mesh hail guard protect coil from damage from extreme weather and flying debris.
- Indoor and outdoor coils optimize heat transfer and increase durability and reliability. Enhanced all-aluminum evaporator and condenser coils reduce unit weight and require less refrigerant.
- SmartLite® control board programs igniter to adapt to furnace's heat-up characteristics extending operating life.

R104GD (13.4 SEER2, 81% AFUE)



R104HD (13.4 SEER2, 95% AFUE)

ALL UNITS AND EACH COMPONENT ARE TESTED ON THE MANUFACTURING LINE TO ENSURE QUALITY



State-of-the-art compressor for higher efficiency and lower sound levels

Model R104GD 13.4 SEER2, 81% AFUE Gas/Electric Packaged System

Powder coated wire guard and plastic mesh hail guard for coil protection

Intertherm Warranty


Intertherm heating and cooling products for manufactured housing carry a one-year warranty on parts and a 5-year compressor warranty.

- 1-Year Limited Parts
- 5-Year Limited Compressor

Extend your standard condenser 1-year limited parts to a 5-year or 10-year limited parts by registering at www.nortekhvacwarranty.com. Certain models apply. See warranty document for details.

In addition to the 1-year warranty, Intertherm gas/electric packaged systems and furnaces offer a 10-year limited warranty on heat exchangers. MG2 and CMF95 furnaces offer a 20-year limited warranty on heat exchangers.

Contact your Intertherm contractor for specific warranty details.



intertherm.net

Partners Choice® and SmartLite® are registered trademarks of Nortek Global HVAC, LLC. © Nortek Global HVAC, LLC 2022. All rights reserved. Specifications and illustrations subject to change without notice and without incurring obligation. Printed in U.S.A.

807F-0822

For information call or write your select Intertherm heating and cooling contractor.